


Genome Annotation with Companion (Part 1)

Companion, is an online pipeline that employs different software to annotate and compare an assembled sequence to a reference-annotated genome. The figure below illustrates the Companion pipeline, the software used and the expected output.



For this exercise, we will start with an assembled genome that is unannotated. We will obtain the assembled FASTA files from EuPathDB sites. Companion is housed at Sanger and can be accessed here: <https://companion.sanger.ac.uk> Each group will download one of the following genomes. The tinyURL links will initiate the download.

Group 1 – *Cryptosporidium baileyi* TAMU-09Q1 – <http://tinyurl.com/h7hwuo4>

Group 2 – *Cryptosporidium meleagridis* UKMEL1 – <http://tinyurl.com/goj2b2p>


Group 3 – *Cryptosporidium hominis* UKH1 – <http://tinyurl.com/h97hf2w>

Group 4 – *Plasmodium coatneyi* Hackeri – <http://tinyurl.com/z52bp33>


Group 5 – *Acanthamoeba palestinensis* Reich (largest 3000 contigs) – <http://tinyurl.com/j2rd9lq>

Group 6 – *Cryptosporidium tyzzeri* UGA55
<https://tinyurl.com/ydd9kp9q>

A note about downloading genomes and genomic sequences from EuPathDB sites:
All genomes in EuPathDB sites are available for download from the “Data File” download section, which you can access from the Downloads menu in the gray tool bar.



Selecting the Data Files option takes you to the download directories where you can navigate to the genome and data type you are looking for.



To download specific contigs/scaffolds/chromosomes you can use a genomic sequence search and place the desired sequences into your basket.

Identify Other Data Types:

Expand All | Collapse All

- Isolates
- Genomic Sequences
 - Genomic Sequence ID(s)
 - Organism
 - BLAST
- Genomic Segments (DNA Motif)
- SNPs
- ESTs
- ORFs
- Metabolic Pathways NEW
- Compounds NEW
- Data Sets NEW

Identify Genomic Sequences based on Organism

Organism select all | clear all | expand all | collapse all | reset to default

- Acanthamoeba
 - Acanthamoeba astronyxis
 - Acanthamoeba castellanii
 - Acanthamoeba culbertsoni
 - Acanthamoeba lenticulata
 - Acanthamoeba lugdunensis
 - Acanthamoeba mauritanensis
 - Acanthamoeba palestinensis
 - Acanthamoeba palestinensis Reich
 - Acanthamoeba quina
 - Acanthamoeba rhyodes
 - Acanthamoeba sp.
 - Acanthamoeba triangularis
- Entamoeba
- Naegleria

select all | clear all | expand all | collapse all | reset to default

[Get Answer](#)

(Sequences) Strategy: Organism(?)

Organism 12659 Sequences Add Step

Step 1

Rename Duplicate Save As Share Delete

12659 Genomic Sequences from Step 1 Add 12659 Genomic Sequences to Basket | Download 12659 Genomic Sequences

Strategy: Organism(?)

Filter results by sequence type

all_sequence_types	chromosomes	supercontigs	contigs
12659	0	0	12659

Genomic Sequence Results

First 1 2 3 4 5 Next Last Advanced Paging Add Columns

Sequence ID	Organism	Length	Chromosome
CDFA01023757.1	Acanthamoeba palestinensis Reich	563,726	Not Assigned
CDFA01025551.1	Acanthamoeba palestinensis Reich	383,120	Not Assigned
CDFA01025215.1	Acanthamoeba palestinensis Reich	307,247	Not Assigned
CDFA01024747.1	Acanthamoeba palestinensis Reich	301,813	Not Assigned
CDFA01025649.1	Acanthamoeba palestinensis Reich	214,954	Not Assigned
CDFA01014228.1	Acanthamoeba palestinensis Reich	185,298	Not Assigned
CDFA01025720.1	Acanthamoeba palestinensis Reich	182,967	Not Assigned
CDFA01025270.1	Acanthamoeba palestinensis Reich	163,031	Not Assigned
CDFA01025666.1	Acanthamoeba palestinensis Reich	156,607	Not Assigned
CDFA01018782.1	Acanthamoeba palestinensis Reich	150,453	Not Assigned

My Strategies: New Opened (1) All (96) **Basket** Public Strategies (4) Help

Gene (7) Genomic Sequence (3000)

Refresh Empty basket Save basket to a strategy

In case of Error: Fix Basket
On new releases IDs sometimes become obsolete. Why?
Old IDs are mapped to new IDs where possible. Retired IDs will not be in the basket.
To keep a copy of your current basket please download your IDs.

3000 Genomic Sequences

[Download 3000 Genomic Sequences](#)

Genomic Sequence Results

First 1 2 3 Next Last Advanced Paging Add Columns

Sequence ID	Organism	Genome Browser	Chromosome	A Count
CDFA01014053.1	Acanthamoeba palestinensis Reich	view	Not Assigned	2204
CDFA01014054.1	Acanthamoeba palestinensis Reich	view	Not Assigned	2050
CDFA01014058.1	Acanthamoeba palestinensis Reich	view	Not Assigned	1792
CDFA01014070.1	Acanthamoeba palestinensis Reich	view	Not Assigned	2011
CDFA01014141.1	Acanthamoeba palestinensis Reich	view	Not Assigned	2398
CDFA01014144.1	Acanthamoeba palestinensis Reich	view	Not Assigned	2001
CDFA01014148.1	Acanthamoeba palestinensis Reich	view	Not Assigned	4170
CDFA01014170.1	Acanthamoeba palestinensis Reich	view	Not Assigned	2482
CDFA01014191.1	Acanthamoeba palestinensis Reich	view	Not Assigned	1551
CDFA01014193.1	Acanthamoeba palestinensis Reich	view	Not Assigned	1460
CDFA01014199.1	Acanthamoeba palestinensis Reich	view	Not Assigned	2328
CDFA01014208.1	Acanthamoeba palestinensis Reich	view	Not Assigned	4282

Download 20 Genomic Sequences from the search:
Current Genomic Sequence Basket

Please select a format from the dropdown list to create the download report.

✓ --- Select a format ---

Tab delimited (Excel): choose from columns

FASTA (sequence retrieval, configurable)

GFF3

Text: choose from columns and/or tables

XML: choose from columns and/or tables

json: choose from columns and/or tables

Download 20 Genomic Sequences from the search:
Current Genomic Sequence Basket

Please select a format from the dropdown list to create the download report.

FASTA (sequence retrieval, configurable)

****Note: IDs will automatically be included in the report and the report will be sorted by ID.**

This reporter will retrieve the sequences of the genome records in your result.

Choose the region of the sequence(s):

Reverse & Complement

Nucleotide positions: 1 to 0

Download Type: Save to File Show in Browser

Get Sequences

- Once you have downloaded your sequence file, go to the Companion site:
<https://companion.sanger.ac.uk>

- Click on the “Annotate your sequence” link.

COMPANION
Easy and reliable parasite genome annotation.

Annotate your sequence!

or find your job by ID:

e.g. 9b0a42358d208bb061cbf2d3

Easy.
Annotation of a new genome could be as easy as uploading your scaffold sequences (FASTA, EMBL, GenBank), choosing a reference (from our set of 62 species) and pushing a button!

Full-stack.
The pipeline spans many aspects of new genome production, from pseudochromosome configuration, structural and functional gene annotation over comparative analyses to visualization.

-Follow the instructions as described on the Companion website:

1. Provide basic information about the job you are about to submit. This includes a job name, species prefix (usually the first letter of the genus and the first three letters of the species: *Acanthamoeba palestinensis* = Apal).

Submit a new annotation job

Step 1: Basic job properties

First of all, please specify a free-text **name** for your new job. It should reflect the purpose of your job, and should probably include the organism you are annotating.

Example: *My new species annotation*

Job name

Please also give a short **species prefix** that will be used to name entities (such as genes, pseudochromosomes, etc.) generated during the annotation run. It should not contain spaces or special characters.

Example: *LDON*

Species prefix

Finally, please provide a **species name** that describes the target species you are annotating.

Example: *Leishmania donovani*

Species name

2. In step 2, choose the assembly file that you downloaded.
3. In step 3, indicate if you will be using RNAseq evidence to guide the annotation – in this exercise we will **not** use any RNAseq data.
4. In step 4, select the reference sequence you would like to use to transfer the annotation and to compare your sequence to. Typically you would like to use a reference that is closely related, so a phylogenetic tree might be useful to look at. Here are examples for *Plasmodium* and *Cryptosporidium*. There is only one reference for *Acanthamoeba*.

<http://tolweb.org/Plasmodium/68071>

<http://tolweb.org/Cryptosporidium/124803>

Step 2: Target sequence

Please upload a **target sequence file** to be annotated from your local filesystem using the button below. The file (FASTA, EMBL or GenBank format) can be gzip- or bzip2-compressed. In this case it must have a `.gz` or `.bz2` suffix.

Note: The maximal size of your uploaded file is **64 MB**, and the maximum number of individual sequences in it is **3000**.

no file selected

[Here](#) is an example sequence input file for a *Plasmodium falciparum* IT chromosome 5 sequence that can be used with the *Plasmodium falciparum* 3D7 example reference set (choose below in step 4) for a quick example run. To use it, please download it to your local machine and upload it using the button above.

Step 3: Transcript evidence

The *Companion* pipeline can optionally make use of assembled transcripts in the GTF format as created by Cufflinks.

- Yes, use transcript evidence.
- No, do not use transcript evidence.

Step 4: Reference organism

Please pick a (if possible closely related) **reference organism** for this annotation run. This organism will be used to specify the models for gene finding, functional annotation transfer and pseudo-chromosome contiguation.


Please select a reference species


5. In step 5, there are a few more parameters you may want to examine. For the purpose of our exercise we will keep these at the default values.

Step 5: Pseudochromosome contiguation

The contiguation step will try to orientate the sequences in your input file to align with the chromosomal sequences of the reference organism to build pseudochromosomes, which will then be used as the target sequences for gene annotation. This step is optional; if it is not desired then no modifications will be made to the input sequences.

Yes, contiguate pseudochromosomes.
 No, do not modify my input sequences.

Select minimum required match length for contig placement: 500 bp
200  20000

Select minimum required match similarity for contig placement: 85 %
30  100

6. Enter your email address to get an update when your job starts running and when it is complete. Next, click on the “I’m not a robot” captcha (Completely Automated Public Turing test to tell Computers and Humans Apart). Finally, click on the “Submit Job” link.


Step 6: Advanced settings (click chevron to the right to show/hide) ▼

Your contact information (optional)

You can leave your email address if you want to be notified when your job starts and finishes. This is absolutely optional, if you choose not to share your email address, you can always manually check the status of your job using a private link provided by us after submission.

Email

To protect the service from automated bots, please prove that you are a human by ticking the box below.

I'm not a robot 
reCAPTCHA
Privacy - Terms

Submit job